

SECTION **GI**

MA

EM

LC

EC

FE

CL

MT

AT

TF

PD

FA

RA

BR

ST

RS

BT

HA

EL

IDX

MODIFICATION NOTICE:

- The TD27 equipped models have been discontinued and the YD25DDTi equipped models have been added for the Middle East.
- The European application models for Chile have been changed to the General areas application models.
- Tightening torque of front brake caliper mounting bolt has been changed.

CONTENTS

IDENTIFICATION INFORMATION2	Wheels and Tires (For the Middle East)7
Model Variation2	Dimensions (For the General areas).....8
Identification Number.....4	Dimensions (For the Middle East).....9

This modification has been included in production starting with the following vehicle identification numbers (Chassis number):

For the Middle East

JN6DD23S*6A780001
 JN6PD23S*6A780001
 JN6DD21S*6X096001
 JN6DD22S*6X079001
 JN6DD22Y*6X030001
 JN6PD22S*6X025001
 JN6DD23S*6X190001
 JN6DD23Y*6X041001
 JN6PD23S*6X201001
 JN6PD23Y*6X301001
 JN6DD23S*6A780101
 JN6DD23Y*6A780101
 JN6PD23S*6A780101
 JN6PD23Y*6A780101
 JN6DD21S*7X096001
 JN6DD22S*7X079001
 JN6DD22Y*7X030001
 JN6PD22S*7X025001
 JN6DD23S*7X190001
 JN6DD23Y*7X041001
 JN6PD23S*7X201001
 JN6PD23Y*7X301001
 JN6DD23S*7A780101
 JN6DD23Y*7A780101
 JN6PD23S*7A780101
 JN6PD23Y*7A780101

For Iraq and Libya

● JN1ADGD22Z0360001 ●
 ● JN1CDGD22Z0360001 ●
 ● JN1CDUD22Z0360001 ●

For Venezuela and Ecuador

● JN1ADGD226X440401 ●
 ● JN1APGD226X440001 ●
 ● JN1ADUD226X440401 ●

● JN1ANUD226X440501 ●
 ● JN1CDGD226X471101 ●
 ● JN1CDGD226A715101 ●
 ● JN1CPGD226X471101 ●
 ● JN1CPGD226A792101 ●
 ● JN1CDUD226X450701 ●
 ● JN1CDUD226A715101 ●
 ● JN1CNUD226X460501 ●
 ● JN1CNUD226A715101 ●
 ● JN1CHGD226A715101 ●
 ● JN1CDGD227A715101 ●
 ● JN1CDUD227A715101 ●
 ● JN1CHGD227A715101 ●
 ● JN1CPGD227A792101 ●
 ● JN1CNUD227A715101 ●

For Peru

● JN1ADGD226X440401 ●
 ● JN1APGD226X440001 ●
 ● JN1AHGD226X440301 ●
 ● JN1ADUD226X440401 ●
 ● JN1ANUD226X440501 ●
 ● JN1CDGD226X471101 ●
 ● JN1CDGD226A715101 ●
 ● JN1CPGD226X471101 ●
 ● JN1CPGD226A792101 ●
 ● JN1CDUD226X450701 ●
 ● JN1CDUD226A715101 ●
 ● JN1CHGD226X450301 ●
 ● JN1CHGD226A715101 ●
 ● JN1CNUD226X460501 ●
 ● JN1CNUD226A715101 ●
 ● JN1CDGD227A715101 ●
 ● JN1CDUD227A715101 ●
 ● JN1CHGD227A715101 ●
 ● JN1CPGD227A792101 ●
 ● JN1CNUD227A715101 ●

For Mexico

JN6PD25S*6X500001
 JN6PD25S*7X500001

Except for Australia, New Zealand, the Middle East, Europe, Israel, Venezuela, Ecuador, Peru and Mexico

● JN1ADGD22Z0035001 ●
 ● JN1AHGD22Z0039501 ●
 ● JN1APGD22Z0000801 ●
 ● JN1ADUD22Z0023501 ●
 ● JN1AJUD22Z0036001 ●
 ● JN1ANUD22Z0002801 ●
 ● JN1CDGD22Z0045301 ●
 ● JN1CDGD22Z0742101 ●
 ● JN1CHGD22Z0080701 ●
 ● JN1CHGD22Z0742101 ●
 ● JN1CPGD22Z0004601 ●
 ● JN1CPGD22Z0742101 ●
 ● JN1CDUD22Z0036001 ●
 ● JN1CDUD22Z0742101 ●
 ● JN1CPUD22Z0008601 ●
 ● JN1CPUD22Z0742101 ●
 ● JN1CJUD22Z0077001 ●
 ● JN1CJUD22Z0742101 ●
 ● JN1CNUD22Z0009001 ●
 ● JN1CNUD22Z0742101 ●

IDENTIFICATION INFORMATION

Model Variation

PICKUP (2WD)

Destination	Class			Grade	Model		Engine	Transmission	Differential carrier
	Cab	Wheelbase			LH drive	RH drive			
The Middle East	Single Cab	Short	DX	ABGALDFD22EKL	—	KA24DE	FS5W71C	C200	
			ST	ABGALEFD22EKL	—				
			STD	ABGGLCFD22EKL	—				
			DX	AVLGLDFD22UKL	—	YD25DD Ti	FS5R30A		
			CVLGLDFD22UKL						
			CBGGLDFD22EKL						
	Double Cab	Long	ST	CBGGLDFD22EKL	—	KA24DE	FS5W71C		
			CBGGLFAD22EKL						
			CVLGLFAD22UKL						
			SE	CBGGLFFD22EKL	—	KA24DE	FS5W71C		
			CBGGLFAD22EKL						
			CVLGLFFD22UKG						
General areas (Except for the Middle East, Australia and New Zealand)	Single Cab		STD	AVLGLCFD22UWL	AVLGRCFD22UWL	KA24DE	FS5W71C	C200	
			ABGGLCFD22EWL	ABGGRCFD22EWL					
			AVPGLCFD22NWL	AVPGRCFD22NWL					
		Long	STD	CVLGLCFD22UWL	CVLGRCFD22UWL	YD25DD Ti	FS5W71C		
			CBGGLCFD22EWL	—	KA24DE				
			CVPGLCFD22NWL	CVPGRCFD22NWL	TD27				
	Double Cab		SE	—	CBGGRCFD22EWL	RE4R01A	FS5W71C		
			CBGGLFFD22EWN	—	FS5W71C				
			CBGGLFAD22EWN		RE4R01A				
			SE		CVPGLFFD22NWN	TD27	FS5W71C		
			CVLGLFFD22UWG	CVLGRFFD22UWG	YD25DD Ti	FS5R30A			

IDENTIFICATION INFORMATION

Model Variation (Cont'd)

PICKUP (4WD)

Destination	Class			Model		Engine	Transmission	Differential carrier		Transfer
	Cab	Wheelbase	Grade	LH drive	RH drive			Front	Rear	
The Middle East	Single Cab	Long	DX	ABGULDFD22EKL	—	KA24DE	FS5W71C	R180	C200	TX10
	Double Cab			CBGULDFD22EKN		YD25DDTi	FS5R30A			
				CVLULDFD22UKN		KA24DE	FS5W71C			
General areas (Except for the Middle East, Australia and New Zealand)	Single Cab	Long	STD	ABGULCFD22EWL	ABGURCFD22EWL	ZD30DDT	FS5R30A	R180	C200	TX10
	Double Cab			AWSULCFD22TWL	AWSURCFD22TWL	QD32	FS5W71C			
				AVRULCFD22NWL	AVRURCFD22NWL	KA24DE	FS5R30A			
				CBGULCFD22EWN	CBGURCFD22EWN	ZD30DDT	RE4R01A			
				CWSULCFD22TWN	CWSURCFD22TWN	QD32	FS5R30A			
				CVRULCFD22NWN	CVRURCFD22NWN		FS5W71C			
				CVRULCAD22NWN	—	YD25DDTi	FS5R30A			
				CVLULCFD22UWN		KA24DE	FS5W71C			
				CBGULFFD22EWN		ZD30DDT	FS5R30A			
				CWSULFFD22TWN	CWSURFFD22TWN	QD32	RE4R01A			
				CVRULFFD22NWN	CVRURFFD22NWN		FS5R30A			
				CVRULFAD22NWN	—	YD25DDTi	RE4R01A			
				CVLULFFD22UWN		YD25DDTi	FS5R30A			

GI

MA

EM

LC

EC

FE

CL

MT

AT

TF

PD

FA

RA

BR

ST

RS

BT

HA


EL

IDX

IDENTIFICATION INFORMATION

Model Variation (Cont'd)

Prefix and suffix designations (Pickup)




Identification Number

VEHICLE IDENTIFICATION NUMBER

Prefix and suffix designations


For the Middle East




IDENTIFICATION INFORMATION

Identification Number (Cont'd)

For Iraq and Libya



For Venezuela, Ecuador and Peru



GI

MA

EM

LC

EC

FE

CL

MT

AT

TF

PD

FA

RA

BR

ST

RS

BT

HA


EL

IDX


IDENTIFICATION INFORMATION

Identification Number (Cont'd)

For Mexico



Except for Australia, New Zealand, the Middle East, Iraq, Libya, Europe, Israel, Venezuela, Ecuador, Peru and Mexico



IDENTIFICATION INFORMATION

Wheels and Tires (For the Middle East)

PICKUP (2WD)

2-wheel drive models

Tire	Wheel	Except Gulf standard models	Gulf standard models
185R14C-8PR	5J-14	X	—
195R14C-8PR	5J-14	X	X
195R15C-8PR	5-1/2K-15	X	X
195R15C-8PR	5-1/2JJ-15	X	X
255/70R16	7JJ-16	X*1	—
265/70R16LT	7JJ-16	—	X*1

X: Applicable

—: Not applicable

*1: 4WD appearance models

PICKUP (4WD)

4-wheel drive models

Tire	Wheel	Except Gulf standard models	Gulf standard models
215R15C-8PR	5-1/2K-15	X	X
215R15C-8PR	5-1/2JJ-15	X	X
205R16C-8PR	6J-16	X	X
255/70R16	7JJ-16	X	—
265/70R16	7JJ-16	X	—
265/70R16LT	7JJ-16	—	X

X: Applicable

—: Not applicable

GI

MA

EM

LC

EC

FE

CL

MT

AT

TF

PD

FA

RA

BR

ST

RS

BT

HA

EL

IDX

IDENTIFICATION INFORMATION

Dimensions (For the General areas)

Destination		Except Australia, New Zealand and Europe				
Item	Vehicle type	2-wheel drive model			4-wheel drive model	
	Wheelbase	Long			Long	
	Cab or bed type	Single cab	Double cab		Single cab	Double cab
			4WD appearance			
Overall length*1	mm (in)	5,015 (197.4) 5,175 (203.7)*1	4,925 (193.9) 5,085 (200.2)*1	4,945 (194.7) 5,080 (200.0)*1	5,010 (197.2) 5,170 (203.5)*1	4,945 (194.7) 5,080 (200.0)*1
Overall width	mm (in)	1,690 (66.5)	1,690 (66.5)	1,825 (71.9)	1,825 (71.9)	1,825 (71.9)
Overall height	mm (in)	1,630 (64.2)*6 1,620 (63.8)*5 1,610 (63.4)*4	1,620 (63.8)*4 1,630 (64.2)*5 1,640 (64.6)*6	1,710 (67.3)*2	1,695 (66.7)*2 1,700 (66.9)*8	1,710 (67.3)*7 1,715 (67.5)*8 1,720 (67.7)*2 1,725 (67.9)*9 1,810 (71.3)*3, *7 1,815 (71.5)*3, *8 1,820 (71.7)*2, *3 1,825 (71.9)*3, *9
Wheelbase	mm (in)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)
Tread	Front mm (in)	1,395 (54.9)	1,395 (54.9)	1,525 (60.0)	1,525 (60.0)	1,525 (60.0)
	Rear mm (in)	1,390 (54.7)	1,390 (54.7)	1,505 (59.3)	1,505 (59.3)	1,505 (59.3)
Ground clearance	mm (in)	170 (6.7)*4 180 (7.1)*5 190 (7.5)*6	170 (6.7)*4 180 (7.1)*5 190 (7.5)*6	240 (9.4)*2	225 (8.7)*7 230 (9.1)*8	225 (8.7)*7 230 (9.1)*8 240 (9.4)*2 245 (9.7)*9

*1: On step bumper equipped models

*2: 255/70R16 tire equipped models

*3: Roof rail equipped models

*4: 185R14 tire equipped models

*5: 195R14 tire equipped models

*6: 195R15 tire equipped models

*7: 215R15 tire equipped models

*8: 205R16 tire equipped models

*9: 265/70R16 tire equipped model

IDENTIFICATION INFORMATION

Dimensions (For the Middle East)

Destination		Gulf standard models				
Item	Vehicle type	2-wheel drive model			4-wheel drive model	
	Wheelbase	Standard	Long		Long	
	Cab or bed type	Single cab	Single cab	Double cab	Single cab	Double cab
Overall length*1	mm (in)	4,870 (191.7)	5,170 (203.5)	5,080 (200.0)	5,165 (203.3)	5,075 (199.8)
Overall width	mm (in)	1,690 (66.5)	1,690 (66.5)	1,690 (66.5)	1,825 (71.9)	1,825 (71.9)
Overall height	mm (in)	1,615 (63.6)	1,610 (63.4)*2 1,620 (63.8)*3	1,610 (63.4)*2 1,620 (63.8)*3 1,630 (64.2)*8	1,695 (66.7)	1,710 (67.3)*4 1,715 (67.5)*5 1,730 (68.1)*6 1,720 (67.7)*7
Wheelbase	mm (in)	2,650 (104.3)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)
Tread	Front mm (in)	1,395 (54.9)	1,395 (54.9)	1,395 (54.9)	1,525 (60.0)	1,525 (60.0)
	Rear mm (in)	1,390 (54.7)	1,390 (54.7)	1,390 (54.7)	1,505 (59.3)	1,505 (59.3)
Ground clearance	mm (in)	190 (7.5)	180 (7.1)*9 190 (7.5)*8	190 (7.5)	225 (8.9)	225 (8.9)*9 230 (9.1)*8 240 (9.4)*7

*1: On models equipped with 244 rear step bumper, the bumper adds 5 mm (0.2 in) to overall length above. On models not equipped with the rear step bumper, the overall length above shortens by 135 mm (5.3 in).

*2: 195R14C tire equipped models

*3: 195R15C tire equipped models

*4: 215R15C tire equipped models

*5: 205R16 tire equipped models

*6: 265/70R16LT tire equipped models

*7: 4WD appearance models

*8: YD25DDTi engine equipped models

*9: KA24DE engine equipped models

GI

MA

EM

LC

EC

FE

CL

MT

AT

TF

PD

FA

RA

BR

ST

RS

BT

HA

EL

IDX

IDENTIFICATION INFORMATION

Dimensions (For the Middle East) (Cont'd)

Destination		Except Gulf standard models				
Item	Vehicle type	2-wheel drive model			4-wheel drive model	
	Wheelbase	Long			Long	
	Cab or bed type	Single cab	Double cab		Single cab	Double cab
			4WD appearance			
Overall length*1	mm (in)	5,010 (197.2) 5,170 (203.5)*1	4,920 (193.7) 5,080 (200.0)*1 5,090 (200.4)*1	4,945 (194.7) 5,080 (200.0)*1	5,010 (197.2) 5,170 (203.5)*1	4,945 (194.7) 5,080 (200.0)*1 5,090 (200.4)*1
Overall width	mm (in)	1,690 (66.5)	1,690 (66.5)	1,825 (71.9)	1,825 (71.9)	1,825 (71.9)
Overall height	mm (in)	1,610 (63.4)*4 1,620 (63.8)*5 1,630 (64.2)*6	1,620 (63.8)*4 1,630 (64.2)*5 1,640 (64.6)*6	1,710 (67.3)*2	1,695 (66.7)*2 1,700 (66.9)*8	1,710 (67.3)*7 1,715 (67.5)*8 1,720 (67.7)*2 1,725 (67.9)*9 1,810 (71.3)*3, *7 1,815 (71.5)*3, *8 1,820 (71.7)*2, *3 1,825 (71.9)*3, *9
Wheelbase	mm (in)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)	2,950 (116.1)
Tread	Front mm (in)	1,395 (54.9)	1,395 (54.9)	1,525 (60.0)	1,525 (60.0)	1,525 (60.0)
	Rear mm (in)	1,390 (54.7)	1,390 (54.7)	1,505 (59.3)	1,505 (59.3)	1,505 (59.3)
Ground clearance	mm (in)	170 (6.7)*4 180 (7.1)*5 190 (7.5)*6	170 (6.7)*4 180 (7.1)*5 190 (7.5)*6	240 (9.4)*2	225 (8.7)*7 230 (9.1)*8	225 (8.7)*7 230 (9.1)*8 240 (9.4)*2

*1: On step bumper equipped models

*2: 255/70R16 tire equipped models

*3: Roof rail equipped models

*4: 185R14 tire equipped models

*5: 195R14 tire equipped models

*6: 195R15 tire equipped models

*7: 215R15 tire equipped models

*8: 205R16 tire equipped models

*9: 265/70R16 tire equipped model