

## SECTION **GI**

### MODIFICATION NOTICE FOR MODELS FOR NEW ZEALAND:

- King Cab model has been introduced for New Zealand.

## CONTENTS

<b>CONSULT-II CHECKING SYSTEM</b> .....	2	<b>IDENTIFICATION INFORMATION</b> .....	4
Function and System Application .....	2	Model Variation .....	4
Nickel Metal Hydride Battery Replacement .....	2	Identification Number .....	5
Checking Equipment .....	3	Wheels and Tires .....	6
CONSULT-II Data Link Connector (DLC) Circuit .....	3		

This modification has been included in production starting with the following vehicle identification numbers (Chassis number):

#### For

- JN1BHGD22A0000001 •
- JN1BJVD22A0000001 •

## CONSULT-II CHECKING SYSTEM

### Function and System Application

Diagnostic test mode	Function	AIR BAG
Self-diagnostic results	Self-diagnostic results can be read and erased quickly.	x
Trouble diagnostic record	Current self-diagnostic results and all trouble diagnostic records previously stored can be read.	x
ECU discriminated No.	Classification number of a replacement ECU can be read to prevent an incorrect ECU from being installed.	x

x: Applicable

\*: NATS (Nissan Anti-Theft System)

### Nickel Metal Hydride Battery Replacement

CONSULT-II contains a nickel metal hydride battery. When replacing the battery obey the following:


**WARNING:**

**Replace the nickel metal hydride battery with Genuine CONSULT-II battery only. Use of another battery may present a risk of fire or explosion. The battery may present a fire or chemical burn hazard if mistreated. Do not recharge, disassemble or dispose of in fire.**

**Keep the battery out of reach of children and discard used battery conforming to the local regulations.**

## Checking Equipment


When ordering the below equipment, contact your NISSAN distributor.

Tool name	Description
<b>NISSAN CONSULT-II</b> ① CONSULT-II unit (Tester internal soft: Resident version 3.2.0) and accessories ② Program card AED00A-1 (Version 4.11)	 <p>SGI083A</p>

**NOTE:**

- The CONSULT-II must be used in conjunction with a program card. CONSULT-II does not require loading (Initialization) procedure.
- Be sure the CONSULT-II is turned off before installing or removing a program card.

## CONSULT-II Data Link Connector (DLC) Circuit

**INSPECTION PROCEDURE**

If the CONSULT-II cannot diagnose the system properly, check the following items.

Symptom	Check item
CONSULT-II cannot access any system.	<ul style="list-style-type: none"> <li>• CONSULT-II DLC power supply circuit (Terminal 7) and ground circuit (Terminal 8) (For detailed circuit, refer to "MIL &amp; Data Link Connectors Wiring Diagram" in EC section.)</li> <li>• CONSULT-II DDL cable</li> </ul>
CONSULT-II cannot access individual system. (Other systems can be accessed.)	<ul style="list-style-type: none"> <li>• CONSULT-II program card (Check the appropriate CONSULT-II program card for the system. Refer to "Checking Equipment" above.)</li> <li>• Power supply and ground circuit for the control unit of the system (For detailed circuit, refer to wiring diagram for each system.)</li> <li>• Open or short circuit between the system and CONSULT-II DLC (For detailed circuit, refer to wiring diagram for each system.)</li> </ul>

Model Variation

PICKUP (2WD)

Destination	Class			Model		Engine	Transmission	Differential carrier
	Wheelbase	Cab	Grade	LH drive	RH drive			
New Zealand	Long	King Cab	ST	—	BVPGREF0NMIN	TD27	FS5W71C	C200

PICKUP (4WD)


Destination	Class			Model		Engine	Transmission	Differential carrier	
	Wheelbase	Cab	Grade	LH drive	RH drive			Front	Rear
New Zealand	Long	King Cab	ST	—	BVRUREF0NMIN	QD32	FS5R30A	R180A	H233B
									TX10

## IDENTIFICATION INFORMATION

### Model Variation (Cont'd)

#### Prefix and suffix designations (Pickup)

GI



MA

EM

LC

EC

FE

CL

MT


AT

TF

### Identification Number

#### VEHICLE IDENTIFICATION NUMBER

#### For Australia and New Zealand



PD

FA

RA

BR

ST

RS

BT

HA

EL

IDX

IDENTIFICATION INFORMATION

Wheels and Tires

PICKUP (2WD)

Tire	Wheel	Model	
		New Zealand	King Cab
195R14-8PR	5J-14, 5-1/2K-15	X	

X: Applicable

PICKUP (4WD)

Tire	Wheel	Model
		New Zealand
205R16-8PR	6J-16	X

X: Applicable